


BLAZE OFF

Ammoniated Stripper



For Use On

Vinyl Asbestos	Terrazzo	Flagstone
Linoleum	Vinyl	Ceramic Tile
Asphalt Tile	Concrete	
Rubber	Sealed Wood	

Authorizations

Product Description

A combination of soaps, surfactants, and alkaline salts and sequestering agents combined with ammonia for a very economical and efficient wax and finish remover.

Directions For Use

FOR NORMAL WAX and FINISH REMOVAL: Dilute 1 part concentrate to 30 parts warm water (4 ounces per gallon).

FOR HEAVY WAX and FINISH REMOVAL: Dilute 1 part concentrate to 20 parts warm water (6 ounces per gallon).

FOR EXTREMELY HEAVY OR OLD WAX and FINISH REMOVAL: Dilute 1 part concentrate to 10 parts warm water (12 ounces per gallon).

Spread solution liberally onto floor to be stripped. Allow to stand 5 to 10 minutes. Scrub thoroughly using a stripping pad. RINSE THOROUGHLY before applying any finish or wax.

Technical Data

TEST:

Active Ingredients:

Color:

Odor:

Viscosity:

pH (concentrate):

Foam:

Abrasives:

Phosphate Content:

Solubility:

LIMIT:

14.0 ± 0.5%

Brown

Ammonia

Moderately viscous

12.0 - 12.5

Low

None

None

Complete with water

TEST:

Emulsification:

Detergency:

Rinsability:

Flash Point:

Biodegradability:

Storage/Stability:

Weight Per Gallon:

Freeze/Thaw Stability:

Proper Shipping Name:

LIMIT:

Excellent

Excellent

Excellent

None (waterbased)

Completely

2 years

8.55 lbs. per gallon

Keep from freezing

Cleaning Compound

H. & M. Wagner & Sons

GLEN BURNIE, MD 21061

TO REORDER PHONE: (410) 766-1150

TOLL FREE WATTS: 800-492-4571 FAX: (410) 768-5822

SECTION 1-PRODUCT IDENTIFICATION AND SUPPLIER INFORMATION

Product Name: Blaze Off Generic Name: Ammoniated Stripper Chemical Family: Detergent Blend Formula: Proprietary	Supplier's Name: H. & M. Wagner & Sons Supplier's Address: Glen Burnie, MD 21061 Supplier's Phone #: (410) 768-5822
------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 2-INGREDIENT INFORMATION

CHEMICAL NAME	CAS NO.	WT. %	PEL	TWA-TLV	STEL-TLV
Water	7732-18-5	to 100			
Ammonium Hydroxide	1336-21-6	0 to 5	25 ppm	25 ppm	35 ppm
Potassium Tall Oil Soap	61790-44-1	0 to 5			
Nonionic Surfactant	9016-45-9	0 to 5			
Sodium Silicate	1344-09-8	0 to 5			
Dye	N/A	0 to 5			

SECTION 3-PHYSICAL DATA

SECTION 4-FIRE AND EXPLOSION HAZARD DATA

Boiling Point (°F): 212 F. Vapor Pressure: 20mm Hg @ 68 F. % Volatile: 85+ Solubility in Water: Complete Physical Description: Thick amber liquid with ammonia odor.	Specific Gravity: 1.026 Vapor Density (Air=1): >1 pH: 12.0-12.5 Evaporation Rate (Water=1): <1	Flash Point (Method Used): N/A Upper Explosion Limit: N/A Lower Explosion Limit: N/A Extinguishing Media: N/A Special Firefighting Procedures: Non Flammable Unusual Fire and Explosion Hazards: N/A
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 5-REACTIVITY DATA

Stability: Stable Hazards Decomposition Products: Alkaline vapors in a fire.	Hazardous Polymerization: None Incompatibility (Materials to Avoid): Strong Acids
-----------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------

SECTION 6-STORAGE AND HANDLING INFORMATION

Keep out of reach of children. For use by trained personnel only. Keep unauthorized personnel away when applying to floor. Keep container closed during storage. For institutional and industrial use only. Avoid contact with eyes, skin and clothing. Avoid breathing of vapors. Use in well ventilated area.

SECTION 7-HEALTH HAZARDS AND FIRST AID

SECTION 8-SPECIAL PROTECTION INFORMATION

Effects of Overexposure: Skin: Severe skin irritant. May cause moderate reddening, swelling, and possible skin damage. Eyes: Severe eye irritant. Liquid and mists may damage eyes, causing corneal damage. Inhalation: Vapors and mists may be irritating to mucous membranes in the nose, throat, and lungs. Ingestion: Irritating and corrosive to the mouth and throat. May cause headache, nausea, abdominal pain, vomiting, and diarrhea. Excessive amounts may cause collapse. First Aid Procedures: Skin: Flush with water. Seek medical attention if irritation persists. Eyes: Flush with large quantities of water, holding eyelids open. Seek medical attention if irritation persists. Inhalation: Get to fresh air. Seek medical attention if irritation persists. Ingestion: Do not induce vomiting. Drink large quantities of water. Seek medical attention immediately.	Respiratory Protection: Respirator with Ammonia Canister when used in poorly ventilated rooms. Ventilation Requirements: Provide local exhaust to keep TLV of Section 2 ingredients below acceptable limit. Protective Gloves: Chemical resistant rubber or neoprene. Eye Protection: Chemical splash goggles or full face shield. Other Protective Equipment: Eye wash station provided nearby. Rubber boots and protective clothing when using on floors.
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 9-SPILL OR LEAK PROCEDURES

Steps to be taken in Case Material is Released or Spilled: Floors will become slippery. Avoid walking in product. Keep unessential personnel away. Mop up or otherwise absorb and hold disposal. Avoid discharge to sewer or open waterways.
Waste Disposal Method: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. Consult local authorities for disposal in public sewer. Do not disposal of into storm drain, stream, river or to ground. Rinse container thoroughly before discarding in trash.

SECTION 10-REGULATORY INFORMATION

SARA Title III - Section 311/312 -Hazard Categories: No - Fire Hazard No - Sudden Release of Pressure Hazard No - Reactivity Hazard Yes - Immediate (acute) Health Hazard No - Delayed (chronic) Health Hazard	Shipping Information: FOR CONTAINERS > 1 Gallon : Cleaning Compound FOR 1 GALLON CONTAINERS : Cleaning Compound FOR CONTAINERS < 1 GALLON : Cleaning Compound
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

HMIS Hazardous Materials Identification System

Health	2
Flammability	0
Reactivity	0
Personal Protection	B

FOR EMERGENCY MEDICAL OR TRANSPORT INFORMATION: CHEM-TEL, Inc. @ 800-255-3924 (24 hours, 7 days per week)

This product contains the following toxic chemical(s) subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CAS#	Chemical Name	Percent by Weight
7664-41-7	Ammonia	0 to 5

This product contains the following chemical(s) which have been established to be either a carcinogen or suspected carcinogen.

CAS#	Chemical Name	Percent by Weight
	None	

SECTION 11-OTHER INFORMATION

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product